

108-4-0 (NE PAS LOUER) Rampen - ??? kg pce - charge 2200 kg - 4000 mm (das Paar)



Max. Last zwischen Achsen 1.5m 2200 kg

108-7-0 Rampen - ??? kg pce - charge 2200 kg - 4000 mm (das Paar)



Max. Last zwischen Achsen 1.5m 2200 kg

108-8-0 (NE PAS LOUER) Rampen - ??? kg pce - charge 3600 kg - 3000 mm (das Paar)



Max. Last zwischen Achsen 1.5m 3600 kg

108-1-0 Rampe - ??? kg pce - charge 4300 kg - 4000 mm (das Paar)



Max. Last zwischen Achsen 1.5m 4300 kg

108-44-0 (NE PAS LOUER) Rampen - 18 kg pce - charge 2860 kg - 2500 mm (das Paar)



Rampengewicht pro Stück 18 kg
 Max. Last zwischen Achsen 1.5m 2860 kg
 Max. Last pro Paar zw. Achsen 1m 2650 kg

108-45-0

Rampen - 18 kg pce - charge 2860 kg - 2500 mm (das Paar)



Rampengewicht pro Stück	18 kg
Max. Last zwischen Achsen 1.5m	2860 kg
Max. Last pro Paar zw. Achsen 1m	2650 kg

108-43-0

Rampen - 21 kg pce - charge 2000 kg - 3000 mm (das Paar)



Rampengewicht pro Stück	21 kg
Max. Last zwischen Achsen 1.5m	2300 kg
Max. Last pro Paar zw. Achsen 1m	2000 kg

108-46-0

Rampen - 21 kg pce - charge 2300 kg - 3000 mm (das Paar)



Rampengewicht pro Stück	21 kg
Max. Last zwischen Achsen 1.5m	2300 kg
Max. Last pro Paar zw. Achsen 1m	2000 kg

108-47-0

Rampen - 21 kg pce - charge 2300 kg - 3000 mm (das Paar)



Rampengewicht pro Stück	21 kg
Max. Last zwischen Achsen 1.5m	2300 kg
Max. Last pro Paar zw. Achsen 1m	2000 kg

108-3-0 (NE PAS LOUER)

Rampen - 21 kg pce - charge 2800 kg - 3500 mm (das Paar)



Rampengewicht pro Stück	21 kg
Max. Last zwischen Achsen 1.5m	2800 kg

108-10-0 Rampen - 21 kg pce - charge 2800 kg - 3500 mm (das Paar)



Rampengewicht pro Stück 21 kg
 Max. Last zwischen Achsen 1.5m 2800 kg

108-11-0 Rampen - 21 kg pce - charge 2800 kg - 3500 mm (das Paar)



Rampengewicht pro Stück 21 kg
 Max. Last zwischen Achsen 1.5m 2800 kg

108-21-0 Rampen - 21 kg pce - charge 7500 kg - 2000 mm (das Paar)



Rampengewicht pro Stück 21 kg
 Max. Last zwischen Achsen 1.5m 7500 kg
 Max. Last pro Paar zw. Achsen 1m 7400 kg

108-23-0 Rampen - 21 kg pce - charge 7500 kg - 2000 mm (das Paar)



Rampengewicht pro Stück 21 kg
 Max. Last zwischen Achsen 1.5m 7500 kg
 Max. Last pro Paar zw. Achsen 1m 7400 kg

108-24-0 Rampen - 21 kg pce - charge 7500 kg - 2000 mm (das Paar)



Rampengewicht pro Stück 21 kg
 Max. Last zwischen Achsen 1.5m 7500 kg
 Max. Last pro Paar zw. Achsen 1m 7400 kg

108-33-0

Rampen - 21 kg pce - charge 7500 kg - 2000 mm (das Paar)



Rampengewicht pro Stück	21 kg
Max. Last zwischen Achsen 1.5m	7500 kg
Max. Last pro Paar zw. Achsen 1m	7400 kg

108-25-0

Rampen - 25 kg pce - charge 5900 kg - 2500 mm (das Paar)



Rampengewicht pro Stück	25 kg
Max. Last zwischen Achsen 1.5m	5900 kg
Max. Last pro Paar zw. Achsen 1m	5400 kg

108-36-0

Rampen - 25 kg pce - charge 5900 kg - 2500 mm (das Paar)



Rampengewicht pro Stück	25 kg
Max. Last zwischen Achsen 1.5m	5900 kg
Max. Last pro Paar zw. Achsen 1m	5400 kg

108-27-0 (NE PAS LOUER)

Rampen - 30 kg pce - charge 4800 kg - 3000 mm (das Paar)



Rampengewicht pro Stück	30 kg
Max. Last zwischen Achsen 1.5m	4800 kg
Max. Last pro Paar zw. Achsen 1m	4100 kg

108-48-0

Rampen - 31 kg pce - charge 1950 kg - 4000 mm (das Paar)



Rampengewicht pro Stück	31 kg
Max. Last zwischen Achsen 1.5m	1950 kg
Max. Last pro Paar zw. Achsen 1m	1750 kg

108-49-0

Rampen - 31 kg pce - charge 1950 kg - 4000 mm (das Paar)



Rampengewicht pro Stück	31 kg
Max. Last zwischen Achsen 1.5m	1950 kg
Max. Last pro Paar zw. Achsen 1m	1750 kg

108-28-0

Rampen - 34 kg pce - charge 3800 kg - 3500 mm (das Paar)



Rampengewicht pro Stück	34 kg
Max. Last zwischen Achsen 1.5m	3800 kg
Max. Last pro Paar zw. Achsen 1m	3200 kg

108-29-0

Rampen - 34 kg pce - charge 3800 kg - 3500 mm (das Paar)



Rampengewicht pro Stück	34 kg
Max. Last zwischen Achsen 1.5m	3800 kg
Max. Last pro Paar zw. Achsen 1m	3200 kg

108-41-0

Rampen - 37 kg pce - charge 2000 kg - 4000 mm (das Paar)



Rampengewicht pro Stück	37 kg
Max. Last zwischen Achsen 1.5m	2000 kg
Max. Last pro Paar zw. Achsen 1m	1700 kg

108-42-0

Rampen - 37 kg pce - charge 2000 kg - 4000 mm (das Paar)



Rampengewicht pro Stück	37 kg
Max. Last zwischen Achsen 1.5m	2000 kg
Max. Last pro Paar zw. Achsen 1m	1700 kg

108-31-0

Rampen - 42 kg pce - charge 4100 kg - 4000 mm (das Paar)



Rampengewicht pro Stück	42 kg
Max. Last zwischen Achsen 1.5m	4100 kg
Max. Last pro Paar zw. Achsen 1m	3500 kg

108-12-0

Rampen - 43 kg pce - charge 3800 kg - 4000 mm (das Paar)



Rampengewicht pro Stück	43 kg
Max. Last zwischen Achsen 1.5m	3800 kg
Max. Last pro Paar zw. Achsen 1m	3400 kg

108-13-0

Rampen - 44 kg pce - charge 6000 kg - 3500 mm (das Paar)



Rampengewicht pro Stück	44 kg
Max. Last zwischen Achsen 1.5m	6000 kg
Max. Last pro Paar zw. Achsen 1m	5300 kg

108-37-0

Rampen - 48 kg pce - charge 4500 kg - 4500 mm (das Paar)



Rampengewicht pro Stück	48 kg
Max. Last zwischen Achsen 1.5m	4500 kg
Max. Last pro Paar zw. Achsen 1m	3900 kg

108-40-0

Rampen - 80 kg pce - charge 10500 kg - 4500 mm (das Paar)



Rampengewicht pro Stück	80 kg
Max. Last zwischen Achsen 1.5m	10500 kg
Max. Last pro Paar zw. Achsen 1m	9200 kg