

532-1-101

Cloche de battage avec pointe - Ø 100 - HP 150 - 14.5 kg



532-1-151

Cloche de battage avec pointe - Ø 150 - HP 150 - 24.5 kg



532-1-102

Cloche de battage avec pointe - Ø 100 - HP 200 - 15.5 kg



532-1-152

Cloche de battage avec pointe - Ø 150 - HP 200 - 25.5 kg



532-1-121

Cloche de battage avec pointe - Ø 120 - HP 350 - 20.5 kg



532-1-171

Cloche de battage avec pointe - Ø 170 - HP 350 - 38.0 kg




532-1-221

Cloche de battage avec pointe - Ø 220 - HP 350 - xx.x kg



532-1-153

Cloche de battage avec pointe - Ø 150 - HP 700 - xx.x kg



532-1-201

Cloche de battage avec pointe - Ø 200 - HP 700 - 61.5 kg



532-1-241

Cloche de battage avec pointe - Ø 240 - HP 700 - xx.x kg



532-1-154

Cloche de battage avec pointe - Ø 150 - HP 900 - 44.5 kg



532-1-202

Cloche de battage avec pointe - Ø 200 - HP 900 - 69.5 kg



532-1-242

Cloche de battage avec pointe - Ø 240 - HP 900 - 95.5 kg



532-1-155

Cloche de battage avec pointe - Ø 150 - HP 1200 - 45.5 kg



532-1-203

Cloche de battage avec pointe - Ø 200 - HP 1200 - 70.5 kg



532-1-243

Cloche de battage avec pointe - Ø 240 - HP 1200 - 96.5 kg




532-1-181

Cloche de battage avec pointe - Ø 180 - HP 1500 - xx.x kg



532-1-222

Cloche de battage avec pointe - Ø 220 - HP 1500 - xx.x kg



532-1-261

Cloche de battage avec pointe - Ø 260 - HP 1500 - 140 kg



532-1-182

Cloche de battage avec pointe - Ø 180 - HP 1800 - xx.x kg



532-1-223

Cloche de battage avec pointe - Ø 220 - HP 1800 - xx.x kg



532-1-262

Cloche de battage avec pointe - Ø 260 - HP 1800 - 150 kg




532-1-183

Cloche de battage avec pointe - Ø 180 - HP 2000 - xx.x kg



532-1-224

Cloche de battage avec pointe - Ø 220 - HP 2000 - xx.x kg



532-1-263

Cloche de battage avec pointe - Ø 260 - HP 2000 - 160 kg

